



UNIVERSITY OF
CAMBRIDGE

150
YEARS

Cavendish Laboratory
Department of Physics



Microscopic Quantum Simulation of an Optical Quasicrystal

Yong-Guang Zheng (郑永光)


EMMI workshop, Benasque, Sept. 4⁵, 2025

EPSRC


Engineering and Physical Sciences
Research Council



The quasicrystal team at Cambridge




YGZ



Zhuoxian (Chelsea) Ou



Leanne Reeve



Qijun Wu






Baptiste Lerat




Ulrich Schneider


RAY DOLBY CENTRE CAVENDISH LABORATORY



What/Why is quasicrystal?




Crystal: translation symmetry and rotational symmetry (three-fold, four-fold, six-fold, ...)




Forbidden rotational symmetries for a crystal: five-fold, eight-fold, ...

Quasicrystals in condensed matter physics
















-Ho-Mg-Zn icosahedral quasicrystal



Bindi B. et al., Science 324,1306-1309(2009)

Quantum simulation using ultracold atoms





Optical lattices

Superfluid to Mott insulator transition


Greiner, M., et al. (2002). Nature, 415(6867), 39–44.

Bloch, I., et al. 2008, Rev. Mod. Phys. 80, 885-964

Eight-fold optical quasicrystals




τ -dual species ($^{87}\text{Rb}, ^{39}\text{K}$)





Viebahn, ..., Schneider. (2019). Phys. Rev. Lett., 122(11), 110404

Eight-fold optical quasicrystal



$$\hat{H}_{BH} = \underbrace{\sum_i \epsilon_i \hat{a}_i^\dagger \hat{a}_i}_{\text{On-site energies}} + \underbrace{\sum_{i \neq j} J_{ij} \hat{a}_i^\dagger \hat{a}_j}_{\text{Tunneling amplitudes}} + \underbrace{\sum_i U_i}_{\text{On-site interaction}}$$


$$\epsilon_i = \langle w_i | \hat{H}_{cont} | w_i \rangle \quad J_{ij} = \langle w_i | \hat{H}_{cont} | w_j \rangle \quad U_i = g$$




Gottlob & Schneider (2023). PRB

Superfluid to Bose glass transition in a quasicrystal

BG: $0 < \mu < \Delta$




SF: $\mu > \Delta$



-Superfluid to Bose glass transition observed in the optical quasicrystal

Yu, ..., Schneider (2024) Nature, 633(8029), 338–343.



Superfluid to Bose glass transition



-Superfluid to Bose glass transition observed in the optical quasicrystal

Yu, ..., Schneider. (2024) Nature, 633(8029), 338–343.

To resolve atoms at the single site level



Asteria, ..., Weitenberg, (2021). Nature, 599(7886), 571–575.

Quantum gas **microscopes**


YGZ, ..., Yuan, Pan (2022). Opt. Lett., 47, 4239.

Quantum gas **magnifiers**

Hamburg, Heidelberg, ...

also: Harvard, MPQ, Princeton, MIT, Strathclyde, Kyoto, Tokyo, KAIST, Barcelona, ...

Quantum gas magnifier -- how it works




TOF in a harmonic trap for $T/4$

TOF in free space for τ



$$M = 8\pi\tau/T$$

Quantum gas magnifier at Cambridge





Specifications


- 1065 nm dipole trap
- 90 μm waist, 5W
- 890 Hz
- $M \sim 50$





Quantum gas magnifier at Cambridge




Quantum gas magnifier at Cambridge




$T/2$
→



$T/2$
→




Quantum gas magn



T/2, before tilting ma


False retro of the dipole Z beam




Y cut at y = 1169

Quantum gas magnifier at Cambridge




XYTD




XYTD FFT




Quantum gas magnification of the quasicrystal





Ammann-Beenker tiling



Ammann-Beenker tiling






Anisotropy of the magnifier



Compensation by cross dipole beams



Trapping frequency obtained by breathing/sloshing mode

Quantum gas magnification of the quasicrystal




Lattice depth (E_r)

Configuration space




Gottlob & Schneider (2023). *Physical Review B*, 107(14), 144202.

Microscopy of the SF to BG transition









In preparation

Atom loss holding in the quasicrystal



Local density in quasicrystals/square lattices



Conclusion and Outlook

□ Site-resolved detection of the SF-BG transition in optical quasicrystals

What's next?

- ❖ Understanding atom loss mechanism in quasicrystals
- ❖ Accessing 4D topological matter with 2D quasicrystals?
- ❖ Quasiperiodicity protecting quantized transport...

Kraus, Ringel, Zilberberg, (2013). Phys. Rev. Lett., 111(22), 226401

Gottlob, Borgnia, Slager, Schneider, (2025). PRX Quantum, 6(2), 020359.